


NOTES :

1. MATERIAL:H-ZF10/H-ZLAF50E
2. INTERPRET OPTICAL TOLERANCES PER ISO 10110
3. SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B
4. COAT SURFACES AS FOLLOWS:
R(abs.)<0.5% AT 430-650nm
5. Coatings test methods follow ISO9211-4
Abrasion : degree of severity 04 x 1
Adhesion : degree of severity 03 x 3
6.  The main inspection dimension



SV 上陽光學
SUN YANG OPTICS

TITLE: 11.2mm Dia., 4.9mm Thk.
Achromatic Lens

Material:		Surface Finish:			TITLE: 11.2mm Dia., 4.9mm Thk. Achromatic Lens		
See note		See Note					
Scale:	Unit:	Size:	Sheet:				
free	mm	A4	1/1	Stock No.	1A005	Rev.	01

NOTES:

1.MATERIAL:H-ZF10

Nd:1.68893± 0.0005

Vd:31.160527± 0.8%

2.INTERPRET OPTICAL TOLERANCES PER ISO 10110

3.COAT R1 SURFACES AS FOLLOWS:


R(abs.)<0.5% AT 430-650nm

4.Coatings test methods follow ISO9211-4

Abrasion : degree of severity 04 x 1

Adhesion : degree of severity 03 x 3

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER
MIL-PRF-13830B



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 7.7mm Dia., 3.1mm Thk. Double-Convex Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:		Stock No. 1A005 Rev. 01			
free	mm	A4	1/1					

NOTES:

1.MATERIAL:H-ZLAF50E

Nd:1.804009± 0.0005

Vd:46.567682± 0.8%

2.INTERPRET OPTICAL TOLERANCES PER ISO 10110

3.COAT R2 SURFACES AS FOLLOWS:


R(abs.)<0.5% AT 430-650nm

4.Coatings test methods follow ISO9211-4

Abrasion : degree of severity 04 x 1

Adhesion : degree of severity 03 x 3

5.SURFACE QUALITY:60-40,SCRATCH AND DIG PER MIL-PRF-13830B



SV 上陽光學
SUN YANG OPTICS

Material:		Surface Finish:			TITLE: 11.2mm Dia., 1.8mm Thk. Double-Concave Lens			
See note		See Note						
Scale:	Unit:	Size:	Sheet:		Stock No. 1A005 Rev. 01			
free	mm	A4	1/1					